

# Material Safety Data Sheet

1(4)

## Section I – Product Identification

Product name <b>GLUCOSE REAGENT</b> Catalog number: <b>P000023</b>			
Manufacturer's Name M Dialysis AB	Emergency Telephone Number +46 8 470 10 20		
Address Hammarby Fabriksväg 43	Telephone Number for Information +46 8 470 10 20		
120 30 Stockholm	Date Prepared 1 July 2001	Date Revised 12 Dec 2013	
SWEDEN	Signature of Preparer MaW		

## Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	%(optional)	OSHA PEL	ACGIH TLV	Other Limits Recommended
SODIUM AZIDE	≤ 0.04 %	0.3 MG/ML	0.3 MG/ML	0.1 PPM

## Section III - Hazard Identification

Route(s) of Entry:	Inhalation? YES	Skin? NO	Ingestion? NO
Signs and Symptoms of Exposure SODIUM AZIDE: HEADACHE, DROWSINESS, VOMITING			
Medical Conditions Generally Aggravated by Exposure NONE			

## Section IV – First Aid Measures

Eyes FLUSH W/LARGE VOLUMES OF WATER FOR 15 MINUTES. KEEP WARM & QUIET. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN
Inhalation REMOVE TO FRESH AIR. GIVE OXYGEN/CPR IF NEEDED. IF BREATHING BECOMES DIFFICULT CALL A PHYSICIAN
Skin contact FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. IN SEVERE CASES CALL A PHYSICIAN
Ingestion WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN

## Section V - Fire and Explosion Hazard Data

Flash Point (Method Used) >200 °C	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media USE MEDIA SPECIFIC FOR SITE CONDITIONS			
Special Fire Fighting Procedures WEAR SCBA & PROTECTIVE GARMENTS. IF POSSIBLE HAVE THIS PRODUCT REMOVED FROM THE SCENE.			

# Material Safety Data Sheet

2(4)

Unusual Fire and Explosion Hazards  
THIS PRODUCT CONTAINS SODIUM AZIDE WHICH IS CHEMICALLY SENSITIVE & REACTS VIOLENTLY TO SHOCK, FRICTION/HEAT.

## Section VI – Accidental Release Measures

Steps to Be Taken in Case Material is Released or Spilled  
VENTILATE AREA. IF DRY, MOP UP, PLACE IN A SUITABLE CONTAINER, SEAL, LABEL & HOLD FOR DISPOSAL. SOLUTION: USE AN ABSORBENT MATERIAL TO CONTAIN/PICKUP. ONCE SPENT, PLACE CONTAMINATED DISPOSABLE INTO A SUITABLE CONTAINER/SEAL/LABEL & HOLD FOR DISPOSAL.

## Section VII – Handling and Storage

Precautions to Be taken in Handling and Storing  
STORE DRY UNOPENED AT 2 –8 °C.

Other Precautions  
AVOID CONTACT W/SKIN/EYES. DON'T EAT, DRINK/SMOKE WHILE WORKING W/REAGENTS. DON'T MOUTH PIPETTE. EXERCISE THE NORMAL PRECAUTIONS REQUIRED FOR HANDLING OF LABORATORY REAGENTS

## Section VIII – Exposure Controls

Respiratory Protection NON REQUIRED IF VENTILATION IS ADEQUATE		
Ventilation	Local Exhaust ADEQUATE GENERAL EXHAUST	Special
	Mechanical ( <i>General</i> )	Other
Protective Gloves RUBBER/CHEMICAL RESISTANT	Eye Protection SAFETY GLASSES W/SIDE SHIELDS	
Other Protective Clothing or Equipment EYE WASH STATIONS, DELUGE SHOWERS, LAB COAT		
Work/Hygienic Practices REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING. OBSERVE APPROPRIATE CHEMICAL HYGIENE.		

## Section IX - Physical/Chemical Characteristics

Boiling Point N/A		Specific Gravity (H <sub>2</sub> O = 1) ~ 1	
Vapor Pressure (mm Hg.) N/A		Melting Point N/A	
Vapor Density (AIR = 1) N/A		Evaporation Rate (Butyl Acetate = 1) N/A	
Solubility in Water COMPLETE			
Appearance and Odor Buffer: CLEAR COLORLESS LIQUID ODORLESS		Reagent: WHITE SOLID	

## Section X - Reactivity Data

Stability	Stable YES	Conditions to Avoid EXCESS HEAT, FLAME, PRESSURE. SODIUM AZIDE: SHOCK, FRICTION & HEAT.
Incompatibility ( <i>Materials to Avoid</i> ) SODIUM AZIDE: HEAVY METALS, STRONG OXIDIZERS, STRONG ACIDS, ACID CHLORIDE, COPPER, LEAD PLUMBING		
Hazardous Decomposition or Byproducts SODIUM AZIDE: NITROGEN OXIDES, DISODIUM OXIDES & HEAVY METAL AZIDES. GASES, WHICH ARE DAMAGING TO HEALTH, DO NOT FORM IN DANGEROUS QUANTITIES.		
Hazardous Polymerization WILL NOT OCCUR		Conditions to Avoid N/A

## Section XI – Toxicological Information

Health Hazards ( <i>Acute and Chronic</i> ) SODIUM AZIDE: IN A PURE FORM, IT IS CONSIDERED A POSION & MAY ALTER GENETIC MATERIAL. ALL COMPONENTS CAN CAUSE EYE, SKIN & UPPER RESPIRATORY TRACAT IRRITATION			
Carcinogenicity: NONE	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO

## Section XII – Ecological Information

Environmental Fate/Stability N/A
Effect of material on Plants or Animals N/A
Effect of chemical on Aquatic Life N/A

## Section XIII – Disposal Considerations

Waste Disposal Method DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. SODIUM AZIDE: WHEN DISPOSING DOWN THE DRAIN, FLUSH W/LARGE VOLUMES OF WATER. CLEAR EXPOSED METAL SURFACES W/10% SODIUM HYDROXIDE
--

## Section XIV – Transport Information

Transport information NOT SUBJECT TO ANY TRANSPORT RESTRICTIONS
--

## Section XV – Regulatory Information

Regulatory information N/A
-------------------------------

## Section XVI – Other Information

Other comments
----------------

N/A = NOT APPLICABLE OR NO INFORMATION

**Disclaimer**

The information, data and recommendations herein are based upon information believed by M Dialysis AB, after reasonable investigation and research, to be accurate; however M Dialysis does not warrant the accuracy of this information. All materials and mixtures may present unknown hazards and should be used with caution. When necessary or appropriate, independent opinions regarding the risk of handling or exposure should be obtained from trained professionals. M Dialysis disclaims any warranty against patent infringement and implied warranties of merchantability and fitness for a particular purpose. Customer's sole and exclusive remedy shall be replacement of the product or return of the product and refund of the purchasing price at M Dialysis' option. In no case shall M Dialysis be liable for incidental or consequential damages, including lost profit.